

AMENDMENTS TO THE CLAIMS:

The following listing of claims will replace all prior versions, and listings, of claims in the application:

Page 5, line 1, before claim 1, replace the single word heading CLAIMS with the following heading:

~~CLAIMS~~ WHAT IS CLAIMED IS:

1. (Currently Amended) Spray dumping unit for printing machines, comprising: with

a spray housing ~~(12)~~ adapted to be attached to a machine frame, ~~which extends so as to extend~~ parallel to and along ~~the~~ a roller to be dampened ~~(10)~~, and

a spray bar ~~(28)~~ carrying spray valves which is adjustably attached to said spray housing ~~(12)~~ for movement both:

in a direction radial to the roller ~~(10)~~, ~~characterised in that spray bar (12) is additionally adjustable, and~~

in ~~its~~ a longitudinal direction thereof parallel to the roller ~~(10)~~.

2. (Currently Amended) The spray damping unit of claim 1; further comprising at least two mountings for ~~characterised in that the spray bar (28) is longitudinally adjustably supporting the spray bar, the supported by~~ at least two mountings ~~(38, 40),~~

~~which are in turn fixed in or on being secured to the~~ spray housing (12) in a radially adjustable manner with respect to the roller (10).

3. (Currently Amended) The spray damping unit of claim 2, ~~wherein characterised in that~~ the mountings (38, 40) are fixed to ~~the~~ a floor of the spray housing in a radially adjustable manner with respect to the roller (10).

4. (Currently Amended) The spray damping unit of claim 3, ~~wherein the characterised in that~~ mountings (38, 40) comprise fork-shaped fixing strips (48) oriented towards the roller (10), ~~and which strips include whose~~ fingers adapted to grip fixing bolts (50) on the floor (26) of the spray housing (12).

5. (Currently Amended) The spray damping unit of claim 2, ~~wherein the one of claims 2 to 4, characterised in that~~ spray bar (28), ~~through the on~~ mountings, (38, 40) ~~can is adapted to be~~ positioned, and ~~in particularly~~ locked in place, in a plurality of longitudinal positions of the spray bar (28).

6. (Currently Amended) The spray damping unit of claim 2, ~~wherein one of claims 2 to 5, characterised in that~~ the mountings (38, 40) grip the spray bar (28) from underneath like a bracket.

7. (New) The spray damping unit of claim 3, wherein the spray bar, through the mountings, is adapted to be positioned and locked in place, in a plurality of longitudinal positions of the spray bar.

8. (New) The spray damping unit of claim 4, wherein the spray bar, through the mountings, is adapted to be positioned and locked in place, in a plurality of longitudinal positions of the spray bar.

9. (New) The spray damping unit of claim 3, wherein the mountings grip the spray bar from underneath like a bracket.

10. (New) The spray damping unit of claim 4, wherein the mountings grip the spray bar from underneath like a bracket.

11. (New) The spray damping unit of claim 5, wherein the mountings grip the spray bar from underneath like a bracket.